

Fully Automatic Super High Speed HDPE Blown Film Machine

全自動高密度超高速吹袋機

HPE-FT Series



- Model shown : **HPE-50FT2**
- Winder type : **T2**



其陽工業股份有限公司

Chyi Yang Industrial Co., Ltd.

333 桃園市龜山區頂湖三街11號

No.11, Dinghu 3rd St., Guishan District, Taoyuan City 333, Taiwan

TEL : 886-3-328-8686

FAX : 886-3-328-3737

E-Mail : cymw@cymw.com.tw

[http : // www.chyiyang.com](http://www.chyiyang.com)

高密度超高速吹袋機

SUPER HIGH SPEED HDPE BLOWN FILM MACHINE

HPE-FH Series



- Model shown : **HPE-55FH2**
- Winder type : **H2**



其陽工業股份有限公司
Chyi Yang Industrial Co., Ltd.

Features

1. Barrel and Screw have special treatment and forced feeding for higher output.
2. Double lip air ring & better cooling system to support the high speed capacity.
3. Main motor is driven by inverter controller for better performance.
4. Easy installation & operation.
5. Adjusting thickness by die easily, high capacity & less waste plastic film
6. Purchasing a LDPE/LLDPE die can produce LDPE/LLDPE film
7. Four types of winders for your consideration.

特性

1. 螺桿及料管均為強迫出料的設計，並經過幾道程序的特別處理以提高產量，且減少螺桿及料管的磨損
2. 雙層風環可提供良好的冷卻系統，並可提高產量
3. 主馬達為變頻控制已達到更高的效能及節省電力
4. 容易安裝及操作
5. 模頭容易調整厚薄、產量高、廢料少
6. 加購低密度模具可生產低密度 / 線性低密度薄膜
7. 四種捲取機供客戶選擇

MODEL NO.	HPE-45FH	HPE-50FH	HPE-55FH	HPE-65FH	HPE-75FH	HPE-85FH
Screw Diameter 螺桿直徑 (mm)	45	50	55	65	75	85
Raw Material 原料	HDPE					
Roller Width 輪寬 (mm)	750	900	1100	1350	1650	2000
Output 產量 (kg/hr.)	25-60	30-75	40-85	50-110	60-140	70-160

MODEL NO.	HPE-45FT	HPE-50FT	HPE-55FT	HPE-65FT	HPE-75FT	HPE-85FT
Screw Diameter 螺桿直徑 (mm)	45	50	55	65	75	85
Raw Material 原料	HDPE					
Roller Width 輪寬 (mm)	750	900	1100	1350	1650	2000
Output 產量 (kg/hr.)	30-70	40-80	45-95	50-130	60-160	70-180

- Capacity depends on film width, thickness, die size, material property etc. 產量依膜寬、膜厚、模頭尺寸、原料特性等不同而變化。
- For more details specification, special requirements & quotation, please kindly contact us. The above specifications are for reference, the correct specifications are subject to official quotation.
詳細的規格、特殊要求 & 報價單，請與我們聯絡。上述規格僅供參考，正確的規格以正式的報價單為主。
- Suggested Optional Auxiliary Device 建議購買配件：Hopper Loader, Tubular Controller, Air Compressor, Treater, Rotary Device, Automatic Winder, Heat Sealing Knife etc. 吸料機、自動充氣機、空壓機、處理機、旋轉器、全自動捲取機、熱分條等。

Winder Type 捲取機型式



TYPE : E2

(Manul cut & manual change reel)
手動切割 & 手動換捲



TYPE : H2

(Auto. cut & manual change reel)
自動切割 & 手動換捲



TYPE : TE2

(Auto. cut & auto. change reel,
back cutter type)
自動切割 & 自動換捲，後飛刀型式



TYPE : T2

(Auto. cut & auto. change reel,
front cutter type)
自動切割 & 自動換捲，前飛刀型式