

ZIPPER BAG MAKING MACHINE

夾鍊袋封切機


TYPE Series

● Specifications:

Model No. 型號	TYPE-400	TYPE-500	TYPE-600	TYPE-700
Sealing Bar Length 封刀長度	400mm	500mm	600mm	700mm
Bag Length 袋子長度	360mm	460mm	560mm	660mm
Bag Width 袋子寬度	40-350mm	40-400mm	40-400mm	40-450mm
Capacity 產量	40-200pcs/min.	40-180pcs/min.	40-160pcs/min.	40-90pcs/min.
Servo Drive 伺服驅動器	1 set	1 set	1 set	1 set
Servo Controller 伺服控制器	1 set	1 set	1 set	1 set
Main Motor 主馬達	1 set	1 set	1 set	1 set
Feeding Motor 送料馬達	1 set	1 set	1 set	1 set
Heater Capacity 電熱	1.2kw	1.4kw	1.6kw	1.8kw
Machine Dimension 機械尺寸	3 X 1.1 X 1.7M	3.4 X 1.2 X 1.7M	3.4 X 1.2 X 1.7M	3.4 X 1.3 X 1.7M
Machine Weight 機械重量	1000kgs	1100kgs	1300kgs	1500kgs

Charged Options : Punch holes, Kidney punch press, Cutting knife of double bags, Servo motor etc.

選購備品：打孔器、腰子型沖床、雙模中切輪刀、伺服馬達等



Model Shown : TYPE-500



其陽工業股份有限公司
Chyi Yang Industrial Co., Ltd.
 333 桃園市龜山區頂湖三街11號
 No.11, Dinghu 3rd St., Guishan District, Taoyuan
 City 333, Taiwan

TEL : 886-3-328-8686

FAX : 886-3-328-3737

E-Mail : cymw@cymw.com.tw

[http : // www.chyiyang.com](http://www.chyiyang.com)

LDPE ZIPPER BAG BLOWN FILM MACHINE

LDPE夾鍊袋(凹凸袋)吹袋機

ZPE Series



Model Shown : ZPE-45



其陽工業股份有限公司
Chyi Yang Industrial Co., Ltd.



Specifications:

MODEL NO.	ZPE Series	
	ZPE-45	ZPE-55
Raw Material 使用原料	LDPE	
Roller Width 輪寬	500 MM	750 MM
Film Thickness 膜厚	0.04-0.1mm (Different thickness as per the die design & resin 膜厚依模具設計及原料而變化)	
Output 產量	4-10 kgs/hr.	6-25 kgs/hr.
※ Output depending on film width, thickness, die size, material property etc. ※ 產量依膜寬、膜厚、模頭尺寸、原料特性等不同而變化		
Power Required 電力需求	15 kw	20 kw
Machine Dimension 機械尺寸	4.3x1.7x3.0 M	4.8x1.9x3.9 M
* * EXTRUDER 押出機 * *		
Gear Box 齒輪箱	Surface heat quenching & tempering treatment equipped w/oil auto. lubricated sys. 表面熱處理，配備自動循環油系統	
Screw Diameter 螺桿直徑	45 mm	55 mm
Screw Ratio 長徑比	28:01:00	30:01:00
Heating Power 料管電熱容量	5.6 kw	8.8 kw
Main Motor 主馬達	20 HP	25 HP
* * DIE 模頭 * *		
Die 模頭	1 set	1 set
Air Ring 風環	1 set	
* * TAKE-UP UNIT 引取機 * *		
Type 型式	Fixed tower 固定式引取機	
* * GRIP CLOSING UNIT 合口機 * *		
Grip Closing Device 合口機	1 set	
* * WINDER 捲取機 * *		
Winding Roller 捲取輪	1 set	
Winding Torque Motor 捲取馬達	1 set	
* * TEMPERATURE CONTROLLER 溫度控制箱 * *		
Temp. Controller 溫度控制	5 zones	

- Capacity depends on film width, thickness, die size, material property etc.
產量依膜寬、膜厚、模頭尺寸、原料特性等不同而變化。

- For more details specification, special requirements & quotation, please kindly contact us. The above specifications are for reference, the correct specifications are subject to official quotation.
詳細的規格、特殊要求 & 報價單，請與我們聯絡。上述規格僅供參考，正確的規格以正式的報價單為主。

選購備品：模具、冷卻風環、空壓機、靜電處理機、吸料機、自動充氣控制器、乾燥機、顏色注射機等。

Charged Options：Die, Cooling Air Ring, Air Compressor, Surface Treater, Auto-Loader, Tubular Controller, Dryer, Color Injection Extruder etc.

※ Dies & Bags Length：Bags length count from zipper to bottom 模頭與袋長：袋長是指夾鍊到袋子底部的長度

1. Model：DIE-SB series are for producing one line zipper bags. DIE-SB 為單線夾鍊袋
2. Model：DIE-DB series are for producing two lines zipper bags in one time. DIE-DB 為雙線夾鍊袋
3. For more bags length, please contact us 其他袋子的長度，請詢問我們。

Model	Bag Length 袋長	Model	Bag Length 袋長
DIE-50SB	60-85mm x 1 Line	DIE-60DB	10-25mm x 2 Lines
DIE-80SB	85-120mm x 1 Line	DIE-80DB	25-45mm x 2 Lines
DIE-100SB	120-160mm x 1 Line	DIE-100DB	45-65mm x 2 Lines
DIE-120SB	160-200mm x 1 Line	DIE-120DB	65-85mm x 2 Lines
DIE-150SB	200-240mm x 1 Line	DIE-150DB	85-105mm x 2 Lines
DIE-180SB	240-280mm x 1 Line	DIE-180DB	105-125mm x 2 Lines
DIE-200SB	280-320mm x 1 Line	DIE-200DB	125-145mm x 2 Lines
DIE-220SB	320-360mm x 1 Line	DIE-220DB	145-165mm x 2 Lines
DIE-250SB	360-400mm x 1 Line	DIE-250DB	165-185mm x 2 Lines

2/4/6 COLOR ZIPPER BAG FLEXOGRAPHIC PRINTING MACHINE

2/4/6色膠版夾鍊袋印刷機

CF Series



Model Shown : CF-6008

2、4、6色橡膠板印刷機規格表

Specification of 2、4、6 Colors Flexographic Printing Machine.

Model 型號	CF-2006	CF-2008	CF-2010	CF-4006	CF-4008	CF-4010	CF-6006	CF-6008	CF-6010
Printing Width 印刷寬度 (mm)	500	800	1000	500	800	1000	500	800	1000
Printing Colors 印刷顏色	2			4			6		
Max. Printing Speed 最快印刷速度	60 M/min.			60 M/min.			60 M/min.		
Max. Film Width 最大袋寬 (mm)	600	900	1100	600	900	1100	600	900	1100
Printing Length 印刷長度 (mm)	200-1000			200-1000			200-800		
Printing Composition 印刷組合	0+2, 1+1			0+4, 1+3, 2+2			0+6, 1+5, 2+4, 3+3		
Main Motor 主馬達 (HP)	2	3	5	3	5	7.5	5	7.5	7.5
Heater 電熱 (kw)	10.5	10.5	15	15	19.5	24	19.5	24	28.5
Blower 風車 (HP)	1/2 x 1 set 2 x 1 set	1/2 x 1 set 3 x 1 set	1/2 x 1 set 5 x 1 set	1/2 x 1 set 3 x 1 set	1/2 x 1 set 5 x 1 set	1/2 x 1 set 5 x 1 set	1/2 x 1 set 3 x 1 set	1/2 x 1 set 5 x 1 set	1/2 x 1 set 7.5 x 1 set
Ink Motor 油墨馬達 (HP)	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
Pulling Motor 拉袋馬達 (kg/cm)	30 x 1 set	30 x 1 set	50 x 1 set	30 x 2 sets	30 x 2 sets	50 x 2 sets	30 x 2 sets	30 x 2 sets	50 x 2 sets
Total Capacity 總電力 (kw)	16	22	26	23	30	38	29	37	43
Machine Dimension 機械尺寸 (M)	2.45x1.78x2.55	2.45x2.03x2.55	2.45x2.23x2.55	4.3x1.78x2.8	4.3x2.03x2.8	4.3x2.23x2.8	4.25x1.78x2.8	4.25x2.03x2.8	4.25x2.23x2.8
Net Weight 淨重 (kg)	2000	2300	2500	4000	4300	4500	4200	4500	5000

備註：因技術改善而變更規格不另通知。

Remark : Specifications are subject to change due to technological improvement.